ROMAN BLINDS SYSTEM 30







ROMAN BLINDS SYSTEM 30

The Benthin Roman Blind has been developed with the emphasis on design, quality and functionality to create a system that perfectly meets the needs of manufacturer, installer and end-user.

Elegant design

The attractive, well-designed **cassette** [1] conceals the technical components from every angle. The two-part cassette is very easy to install and underlines the quality of the Roman Blind.

The right operating system for every need

The Roman Blind system can be operated by ball chain or motor.

Fabric removes easily

The fabric can be removed quickly and easily for cleaning or replacement thanks to the cord clip [2].

It is then a simple matter to secure the cords neatly before washing.

Flexible installation

The same **fixing clip** [3] Is used for all types of installation.

A single clip for both wall and ceiling mounting.


This makes it easier to install Roman blinds quickly.











ROMAN BLINDS SYSTEM 30

Optimised operation

The 04.5 mm ball chain makes operation simple and convenient.

Two different gears ensure problem-free operation of both lighter and heavier blinds.

In addition, the chain safety device guarantees child safety.

The motorised models offer the most convenient way to operate Roman blinds.

Equipping large, heavy blinds in particular with a remote control makes them even more convenient and user-friendly.

Both a tried-and-tested **24 volt** motor and a battery-operated 12 volt motor can be used.

The **battery** [4] is located in the cassette profile and can be conveniently charged from the power supply by means of a plug integrated in the end cap.

Control options

Ball chain 04.5 x 6 mm Motor 24 Volt 12 Volt (battery)

Colours

Weight

white and anodised

Dimensions

Width min. 240 mm 560 mm (motor) max. 3000 mm

Height 3000 mm max.

> 1.8 kg (1:1 gear) max. 4.0 kg (3.5:1 gear)

6.0 kg (motor)





Benthin GmbH Osterstader Str. 16 D-27572 Bremerhaven T +49 471 79 84 0 info@benthin.com

Benthin
11 Brookfield
Duncan Close
Moulton Park
Northampton
NN3 6WL
T +44 1604 490580
info-uk@benthin.com

Benthin Systèmes E.U.R.L 27, Avenue de Montboulon FR-77165 St. Soupplets T +33 1 60 61 56 56 info@benthin.fr